Lubrication Service Adapter Kit



Complete kit. Refer to the following pages for connector details and vehicle applications.

Confirm the vehicle connection and kit version before service.

Part no.	Connection	Brand	Applications listed on the supplied reference sheet
01	Bayonet	Audi	A3, A4, A5, Q7, R8, RS4, RS6, S4, S6, S8
01	Bayonet	BMW	Models using a bayonet-style cap.
01	Bayonet	Mercedes-Benz	Sprinter MPV 2.7 L / 3.0 L V6 CRD and models using a bayonet-style cap.
01	Bayonet	Porsche	Cayenne, Panamera.
01	Bayonet	Volvo	244, 245, 264, 265, 740, 760.
01	Bayonet	Volkswagen	Beetle, CC, Cabrio convertible, EOS, EuroVan, GTI, Golf, Jetta, Passat, Phaeton, R32 (Golf Mk4), Rabbit (US/Canada market), Touareg.
02	Bayonet	Toyota / Lexus	3.0 L / 3.3 L V6. Toyota Highlander V6 and Sienna.
03	Threaded M37 × 3.0	Lotus / Pontiac / Scion / Toyota	Lotus Elise, Exige. Pontiac Vibe (discontinued). Scion models using a threaded oil cap. Toyota 4RUNNER SUV, Avalon, Corolla, FJ Cruiser, Land Cruiser, Matrix, RAV4, Sequoia, Tacoma pickup, Tundra pickup.
04	Threaded M35 × 4.0	Ford	Maverick 2001-2008 SUV; Escape 4-cylinder 2008-2014; Explorer 2.0 L EcoBoost 2012-2013; Focus 2007-2013; Fusion Hybrid 2013 (North American Mondeo Hybrid).
04	Threaded M35 × 4.0	Jaguar / Land Rover	Jaguar XF series 2013. Land Rover Evoque 2012-2013, LR2.
04	Threaded M35 × 4.0	Mazda	3/6, MX-5, Miata sports car, CX-5, Mazdaspeed 3/6 2.3 L turbo.
05	Threaded M32 × 3.5	Acura / Dodge	Acura Integra, Legend, NSX. Dodge Hemi V8, Neon, Ram pickup, Cummins turbo diesel.
05	Threaded M32 × 3.5	Ford / Honda	Ford F150/250/350 pickups (6.0 L turbo diesel, 6.9 L, 7.3 L). Honda Accord, Civic, Element (North American SUV), Fit, S2000 sports car.
05	Threaded M32 × 3.5	Jaguar / Jeep / Land Rover / Mazda / Nissan	Jaguar 4.2 L V8 2003-2009. Jeep Wrangler 2001-2006. Land Rover Defender, Discovery, Range Rover. Mazda 2. Nissan Pathfinder, Sentra (North American compact sedan).
06	Threaded M42 × 4.5	Subaru	BRZ, Legacy 4-cylinder, Impreza, Outback 4/6-cylinder.
07	Threaded M30 × 3.0	Dodge	Cummins 6.7 L; 1995 3.3 L / 3.8 L; 2005 5.7 L and above (2013 and later), as printed on the supplied reference.
08	1/2-turn threaded	Mazda	Mazda 3/6 from 2014; CX-5 from 2013.
09	1/2-turn threaded	Various brands	Cadillac, Chevrolet, Ford, GMC, Hyundai, Jaguar, Land Rover, Mazda, Saab (Sweden), Mercury.

Part no.	Connection	Brand	Applications listed on the supplied reference sheet
10	1/4-turn threaded	Audi / Volkswagen / SEAT / Skoda	Audi A3/A4/A5/A6, Q3/Q5/TT. Volkswagen Beetle, CC/EOS, Golf, GTI, Jetta, Passat, Tiguan. SEAT (Spain), Skoda.
11	1/2-turn threaded	Dodge	HEMI pickup 6.4 L; 2011 and later 3.6 L, as printed on the supplied reference.
12	Threaded M37 × 3.0	Lotus / Pontiac / Scion / Toyota	Elise, Exige, Vibe; models using threaded oil caps. Toyota 4RUNNER SUV, Avalon, Corolla, FJ Cruiser, Land Cruiser, Matrix, RAV4, Sequoia, Tacoma pickup, Tundra pickup.